

COLUSA UNIFIED SCHOOL DISTRICT

745 Tenth Street

Colusa, CA 95932

(530) 458-7791 FAX (530) 458-4030

AGENDA

Board of Trustees Special Meeting DISTRICT OFFICE CONFERENCE ROOM

July 23, 2015

7:00 a.m. Open Session

**PUBLIC COPY OF BOARD PACKET IS AVAILABLE FOR INSPECTION
AT THE CUSD DISTRICT OFFICE LOCATED AT 745 TENTH ST., COLUSA**

All meetings of the Governing Board are open to the general public, with the exception of the Closed Sessions, which are held to consider those items specifically exempt under the Ralph M. Brown Act. Anyone planning to attend a meeting who has a disability and needs special assistance should call the Superintendent's Office, 458-7791, at least 3 days in advance to make special arrangements.

Spanish translation is available at Regular Session Board Meetings. To arrange for translation services, please call the Superintendent's Office, 458-7791, at least 3 days in advance. [Se ofrece traducción en Español para la junta regular de la mesa directiva. Para solicitar servicios de traducción al español, por favor llame a la Oficina del Superintendente, al 458-7791, con 3 días de anticipación por lo menos.]

7:00 A.M. OPEN SESSION

A. Call to Order

B. Hearing of Public for items on the Agenda

The Board encourages public comment concerning any item of importance and will recognize requests to speak before the item is discussed or voted upon. To assure your right to address any action item, please notify the Superintendent's Office of your desire to speak by noon of the day prior to the Board Meeting. Those requesting to address the Board in advance will be granted up to five minutes to speak. Others will be limited to a total of three minutes.

C. Hearing of Public for items not on the Agenda

The Board encourages public comment concerning any item of importance and will recognize requests to speak on items not appearing on the Agenda. Speakers should be aware that the board may not be prepared to comment on the issues they raise, but may request those items to be properly agendaized for inclusion in the discussions at a future meeting. Those requesting to address the Board in advance will be granted up to five minutes to speak. Others will be limited to a total of three minutes.

D. Information/Discussion/Possible Action

1. Consider Approval of Quotes from Downtown Ford Sales
2. Consider Approval of Quote from Creative Bus Sales

E. Adjournment of the Meeting

QUOTATION

DOWNTOWN FORD SALES
 525 N16th Street, Sacramento, CA. 95814
 916-442-6931 fax 916-491-3138

DF0720151110

QUOTATION

Customer

Name COLUSA SCHOOL DISTRICT
 Address _____
 City _____ CA _____
 Phone _____

Date 7/20/2015
 REP FORBESS
 Phone _____
 FOB _____

Qty	Description	Unit Price	TOTAL
5	2016 FORD TRANSIT12 PASSENGER WAGON	\$26,418.00	\$132,090.00
5	CHANGE TO MEDIUM ROOF	\$2,214.00	\$11,070.00
-5	CHANGE TO 10 PASSENGER 130" WHEELBASE	\$2,553.00	(\$12,765.00)
5	CRUISE CONTROL	\$305.00	\$1,525.00
5	FRONT AND REAR AIR CONDITIONING	\$807.00	\$4,035.00
5	EXTRA KEY	\$295.00	\$1,475.00
5	PRIVACY GLASS	\$632.00	\$3,160.00
5	DOCUMENTATION FEE (DOC FEE)	\$80.00	\$400.00

Payment Details

☐
☒
☐

		\$140,990.00
	SHIPPING	\$500.00
Taxes	7.5	\$10,574.25
	TIRE FEE	\$43.75
	TOTAL	\$152,108.00

Office Use Only

TERMS: \$500.00 DISCOUNT FOR PAYMENT IN 20 DAYS

QUOTATION

DOWNTOWN FORD SALES
525 N16th Street, Sacramento, CA. 95814
916-442-6931 fax 916-491-3138

DF0720151100

QUOTATION

Customer

Name COLUSA SCHOOL DISTRICT
Address _____
City _____ CA _____
Phone _____

Date 7/20/2015
REP FORBESS
Phone _____
FOB _____

Qty	Description	Unit Price	TOTAL
1	2016 FORD TRANSIT12 PASSENGER WAGON	\$26,418.00	\$26,418.00
1	CHANGE TO MEDIUM ROOF	\$2,214.00	\$2,214.00
-1	CHANGE TO 10 PASSENGER 130" WHEELBASE	\$2,553.00	(\$2,553.00)
1	CRUISE CONTROL (INCLUDED W/BRAKE CONTROLLER)	\$0.00	\$0.00
1	FRONT AND REAR AIR CONDITIONING	\$807.00	\$807.00
1	EXTRA KEY	\$295.00	\$295.00
1	PRIVACY GLASS	\$632.00	\$632.00
1	HEAVY DUTY TRAILER PACKAGE	\$438.00	\$438.00
1	TRAILER BRAKE CONTROLLER	\$521.00	\$521.00
1	DOCUMENTATION FEE (DOC FEE)	\$80.00	\$80.00

Payment Details

☐
☒
☐

		\$28,852.00
	SHIPPING	\$100.00
Taxes	7.5	\$2,163.90
	TIRE FEE	\$8.75
	TOTAL	\$31,124.65

Office Use Only

TERMS: \$500.00 DISCOUNT FOR PAYMENT IN 20 DAYS



Buyer's Order Contract

Date:	July 1, 2015	Unit #(s):	Stock
Customer Name:	Colusa Unified School District		
Contact:	Ron Rogers	Phone:	530.458.7791
Address:	745 Tenth St.	Fax:	530.458.4030
City, State, Zip:	Colusa, CA 95932	E-Mail:	rrogers@colusa.k12.ca.us
Fleet ID #:		Salesperson:	Brandon Abbott
Sys 2K Entity #:			
Finance Source:	Mike	Contact:	
Address:		Phone:	
City, State, Zip:		Fax:	
Description of Vehicle:	2015 or Newer 76-pass IC Bus model RE3911 with AC		
Engine Type:	MaxxForce DT		
VIN #:	TBD	FOB Terms:	Colusa, CA
Number of Passengers:	76 seated	Wheelchair Positions:	None
Estimated Delivery Date:	60-90 days ARO	Payment Terms:	Net 30 days
		Unit Price	\$164,621.00
		Options	\$0.00
Possession State:	CA	Delivery	\$0.00
		Incentives	\$0.00
		Sub-Total	\$164,621.00
		ADA Amount (Non Taxable)	\$0.00
		Rebates (Taxable)	\$0.00
		Trade-In (Credit)	\$0.00
		Doc Prep Fee	\$80.00
		Total Taxable Amount	\$164,701.00
7.750%	Colusa	Sales Tax Total	\$12,764.33
Notes:	Sales tax is calculated based on the state in which customer takes possession of vehicle. Sales tax will be charged to customers taking possession in AZ, CA, FL, IN, NM, NV, OK & TX.		
	California State Tire Fee of \$1.75 per tire applies to all new vehicle purchase or leases.		
		DMV Estimated Fees	\$0.00
		DMV Electronic Filing Fee	\$0.00
		Tire Fee	\$10.50
		Total Amount Per Unit	\$177,475.83
		Quantity	1
		Contract Total	\$177,475.83
		Customer Trade-In	\$0.00
		Customer Deposit	\$0.00
		Balance Due	\$177,475.83

Terms: The deposit if indicated above is due with this signed contract. The balance due indicated above is due before vehicle(s) will be released to the Customer. If the vehicle is Customer, the vehicle will be available for sale to other customers. The vehicle(s) will not be titled to the Customer. [Print to PDF](#) indicated above plus any interest charges indicated herein are paid in full. There is no "cooling off" or other cancellation period for vehicle sales. Therefore, you cannot later cancel this contract without the agreement of the Dealership, or for legal cause. The tax and fees reflected on this agreement are based on the regulations applicable at the time of drafting this contract. The actual amounts due will be based on the regulations applicable at the time title for each vehicle transfer.

Buyer's Signature: _____

Creative Bus Sales: _____

Accepted By: _____

Creative Bus Sales
13501 Benson Avenue
Chino, CA 91710

7/1/2015

Phone: 909.465.5528
Fax: 909.465.5529
www.creativebussales.com



Quote for Colusa Unified School District to purchase IC Bus model RE3911

Capacity: Up to 76 passengers with AC

July 1, 2015

		Bid Option	Per	1
Line	Price Calculations	Reference #	Bus	Buses
Bid price based on the South County Support Services Agency Bid #14005			\$146,801.00	
Additional Approved Options				
1	Extend standard engine and engine electronics warranty three additional years. (\$1500 per year)	25	No charge	
2	Remove two 39" seats. (\$550 per seat)	33	(\$1,100.00)	
3	Add four head digital color camera system	58	\$2,500.00	
4	Add 150,000 BTU air-conditioning system	70	\$20,500.00	
5	Factory discount		(\$4,000.00)	
Sub-total			\$164,701.00	\$164,701.00
Add sales tax			0.0775 \$12,764.33 *	\$12,764.33 *
Total			\$177,465.33	\$177,465.33
CA Tire Fee			\$10.50	\$10.50
Invoice amount			\$177,475.83	\$177,475.83
Delivery date			60-90 days ARO	60-90 days ARO

8

7

6

5

4

3

2


1

VERTICAL HINGED K/O
REQUIRED


BODY PLAN

WHEELBASE 276"

PB30500, 39 FT. 11 IN., CAP 76, SEAT SIZE 39/39, SEAT SPACING VARIES, SIDE EMERG DOOR



PURCHASED SEATS IN THIS UNIT ARE:
BTI (3P)
GEN4 (3P)



THIS UNIT CONFORMS TO APPLICABLE FMVSS

THIS DOCUMENT IS IN ACCORDANCE WITH ASME Y14.5M-1994
AS AMENDED BY THE INTERNATIONAL TRUCK DIVISION
DIMENSIONING AND TOLERANCING ADDENDUM-2000.

50000/49000

INTERNATIONAL TRUCK AND ENGINE
CORPORATION

INTERNATIONAL®CONFIDENTIAL PROPRIETARY

REVISION ONLY ON DRAWING SYSTEM	REFERENCE		DC0585A000		
	LINEAR MEASURE: mm <input type="checkbox"/> in <input checked="" type="checkbox"/>		APPROX. MASS (WEIGHT)		
	UNLESS SPECIFIED DIM TOLERANCES ARE		ROUGH PART		
			FINISH PART		
	ONE PLACE (1.X) +1.5, +0.6			INTERNAL CONTROL	
	TWO PLACE (1.XX) +1.8, +0.3				
	THREE PLACE (1.XXX) +0.25, +0.10				
	ANGLES 11°				CONTROL E 50
	NAME BODY PLAN PB30500				VERSION E
	NAME 1 TRANSLATION				APPROVEE
DRAWN UOOMACH DATE 30/JUL/13 CHECKED DATED		MATERIAL		DATE	
APPROVED	PARTS NOUN CODE	PART TYPE CODE	SCALE NONE	SIZE 4	
DATE	PART NO.	CREATE - 267		SHEET 01	
				FRAME	



Creative Fleet Leasing
13501 Benson Avenue
Chino, CA 91710
Phone: 888-590-8665
Fax: 909-465-5529

July 1st, 2015

Municipal Lease Proposal

Ron Rogers
Colusa Unified School District
745 10th Street
Colusa, CA 95932

Creative Fleet Leasing is pleased to submit the following lease proposal for your consideration.

Lessee:	Colusa Unified School District
Equipment:	2015 IC RE3911 School Bus with AC
Total Equipment Cost:	\$177,475.83

Scenario 1:

Lease Term:	5 Years
Interest Rate:	3.43%
Lease Residual:	\$1.00
Payment Amount:	\$37,928.56
Payment Frequency:	Annually in advance

Scenario 2:

Lease Term:	7 Years
Interest Rate:	3.83%
Lease Residual:	\$1.00
Payment Amount:	\$28,299.68
Payment Frequency:	Annually in advance

Location/Delivery:	It is anticipated that this equipment will be located in Colusa, CA.
Mileage:	No mileage cap will be imposed on the units.
Additional Provisions:	Lessee must be Bank Qualified for approval as a Lessee under this Municipal Lease.
Costs and Expenses:	Lessee will be responsible for all costs and expenses incurred by Creative Fleet Leasing in connection with documentation and filing fees necessary to close this transaction.
Depreciation:	Depreciation is available for the account of the Lessee.
Interim Rent:	Interim Rent will be payable for the period between the Equipment acceptance date and the rent commencement date at a daily rate equal to Prime plus 1%.
Net Lease:	This is a net lease whereby insurance, maintenance and taxes are the Lessee's responsibility. Manufacturer's guarantees and warranty will be passed on to the Lessee.
Proposal Only:	This proposal is based on cost of funds indexed to five year swaps currently yielding 1.79% at the time of proposal. In the event this rate changes prior to funding, the payment will be adjusted accordingly to reflect this change.
Insurance:	Insurance will be required in accordance with the final drafted lease documents. \$5,000,000.00 liability insurance will be required.
Invoicing:	A single invoice will be furnished on an annual basis.
Required Credit Information:	Completed Creative Fleet Leasing credit application along with financial statements for the last three fiscal year ends and current year budget.
Documentation:	Upon receipt of Lessee's request to lease, and upon its acceptance of same, Lessor will prepare all necessary documentation. A \$750 documentation fee will be collected at each closing.

This is a proposal only and is not a commitment for Creative Fleet Leasing to provide funds under the terms of this proposal. Any commitment to lease will be subject to Creative Fleet Leasing's credit review and approval.

Creative Fleet Leasing would like to thank you for your consideration and allowing us to make this proposal. If you have any questions or would like to discuss other financing options, please feel free to contact us at **888-590-8665**. If you would like to proceed with the credit review process, please indicate by signing below and returning the completed document along with any additional credit information requested to Creative Fleet Leasing.

Sincerely,

Mike Stoller
Finance Manager
Creative Fleet Leasing
Creative Bus Sales, Inc.

Please proceed with obtaining credit approval in accordance with the terms listed above.

Colusa Unified School District

By: _____

Its: _____

Date: _____

Prepared For:

Colusa USD

Ron Rogers

76-pass IC Bus RE3911 with AC

Presented By:

CREATIVE BUS SALES, INC

Joe Angeli

13501 BENSON AVENUE

CHINO CA 91710 -

(909)465-5528

Thank you for the opportunity to provide you with the following quotation on a new IC Corporation vehicle. I am sure the following detailed specification will meet your operational requirements, and I look forward to serving your business needs.

Model Profile

2016 INTEGRATED RE S BUS (PB305)

APPLICATION:

School Transportation

MISSION:

Requested GVWR: 36220. Calc. GVWR: 36220

Calc. Start / Grade Ability: 27.65% / 2.89% @ 55 MPH

Calc. Geared Speed: 69.4 MPH

DIMENSION:

Wheelbase: 276.00, CA: N/A, Axle to Frame: 118.00

ENGINE, DIESEL:

{MaxxForce DT} EPA 2010, 285 HP @ 2200 RPM, 860 lb-ft Torque @ 1300 RPM, 2400 RPM

Governed Speed, 285 Peak HP (Max)

TRANSMISSION, AUTOMATIC:

{Allison 3000_PTS} 5th Generation Controls; Close Ratio, 5-Speed, With Overdrive, Includes Oil Level Sensor, Less PTO Provision, Less Retarder, School Bus, With 80,000-lb GVW & GCW Max.

CLUTCH:

Omit Item (Clutch & Control)

AXLE, FRONT NON-DRIVING:

{Meritor MFS-14-122A} I-Beam Type, 14,000-lb Capacity

AXLE, REAR, SINGLE:

{Dana Spicer 23060SH R/O} Single Reduction, Pinion Up, 23,000-lb Capacity, 200 Wheel Ends

Gear Ratio: 5.57

TIRE, FRONT:

(2) 11R22.5 G662 FUEL MAX (GOODYEAR) 497 rev/mile, load range H, 16 ply

TIRE, REAR:

(4) 11R22.5 G662 FUEL MAX (GOODYEAR) 497 rev/mile, load range H, 16 ply

SUSPENSION, REAR, AIR, SINGLE:

{International} Ride Optimized Suspension (IROS); 23,000-lb Capacity, 9.25" Ride Height, With Shock Absorbers

PAINT:

Cab schematic 100WC

Location 1: 4421, School Bus Yellow (Std)

Chassis schematic N/A

Vehicle Specifications
2016 INTEGRATED RE S BUS (PB305)

June 10, 2015

<u>Code</u>	<u>Description</u>
PB30500	Base Chassis, Model INTEGRATED RE S BUS with 276.00 Wheelbase, N/A CA, and 118.00 Axle to Frame.
1AGY	FRAME RAILS High Strength Low Alloy Steel (50,000 PSI Yield); 10.000" x 3.000" x 0.250" x 471.3" OAL; 276" WB
1LLE	BUMPER, FRONT Full Width, Aerodynamic, Heavy Duty, Steel
1LNT	CROSSING GATE, FRONT Omit Item
2AST	AXLE, FRONT NON-DRIVING {Meritor MFS-14-122A} I-Beam Type, 14,000-lb Capacity
3ADD	SUSPENSION, FRONT, SPRING Parabolic, Taper Leaf; 14,000-lb Capacity; With Shock Absorbers
4091	BRAKE SYSTEM, AIR Dual System for Straight Truck Applications
4193	BRAKES, FRONT, AIR CAM 16.5" x 6", Includes 24 SqIn Long Stroke Brake Chambers
4AZA	AIR BRAKE ABS {Bendix AntiLock Brake System} Full Vehicle Wheel Control System (4-Channel)
4EBZ	AIR DRYER {Bendix AD-IP} With Heater, Mounted Center of Double Crossmember in Front of Rear Axle
4EXU	BRAKE CHAMBERS, REAR AXLE {Bendix EverSure} 30/30 Spring Brake
4EXV	BRAKE CHAMBERS, FRONT AXLE {Bendix} 24 SqIn
4NCU	BRAKES, REAR, AIR CAM S-Cam; 16.5" x 8.0"; Includes 30/30 Sq.In. Long Stroke Brake Chambers and Spring Actuated Parking Brakes
4SBC	AIR COMPRESSOR {Bendix Tu-Flo 550} 13.2 CFM Capacity
4VBX	AIR TANK LOCATION (2) : Two Mounted Between Frame Rails and Over Front Axle
5710	STEERING COLUMN Tilting and Telescoping
5CAL	STEERING WHEEL 2-Spoke, 18" Diam., Black
5PRJ	STEERING GEAR {TRW (Ross) TAS-65} Power
7BDW	EXHAUST SYSTEM Single, Horizontal Aftertreatment Device Frame Mounted Outside Left Rail, Includes Long Horizontal Tail Pipe
7SCY	ENGINE COMPRESSION BRAKE for MaxxForce I6 Engines; Electronically Activated
7WBL	TAIL PIPE Long Horizontal, Exits Left Side Through Bumper
8000	ELECTRICAL SYSTEM 12-Volt, Standard Equipment
8541	HORN, ELECTRIC (2) Disc Style
8GXG	ALTERNATOR {Leece-Neville AVI160P2003} Brush Type; 12 Volt 240 Amp. Capacity, Pad Mount
8MKL	BATTERY SYSTEM {International} Maintenance-Free, (3) 12-Volt 1950CCA Total
8WCB	INDICATOR, LOW OIL PRESSURE / HIGH COOLANT TEMPERATURE / LOW COOLANT LEVEL Light and Audible Alarm; Electronic Controlled
8WNH	RUNNING LIGHT (2) Daytime
8WTL	STARTING MOTOR {Delco Remy 39MT} 12 Volt; Gear Reduced, With Thermal Over-Crank Protection
8XAH	CIRCUIT BREAKERS Manual-Reset (Main Panel) SAE Type III With Trip Indicators, Replaces All Fuses Except For 5-Amp Fuses
10020	CHASSIS PAINT Full Chassis
10060	PAINT SCHEMATIC, PT-1 Single Color, Design 100
10788	PAINT TYPE Urethane, One or Two Colors, Other than Imron or International.

Vehicle Specifications
2016 INTEGRATED RE S BUS (PB305)

June 10, 2015

<u>Code</u>	<u>Description</u>
11001	CLUTCH Omit Item (Clutch & Control)
12NUS	ENGINE, DIESEL {MaxxForce DT} EPA 2010, 285 HP @ 2200 RPM, 860 lb-ft Torque @ 1300 RPM, 2400 RPM Governed Speed, 285 Peak HP (Max)
12THY	FAN DRIVE Hydraulic Pump & Motor with fixed speed, With Residual Torque for Disengaged Fan Speed
12UAP	RADIATOR SIDE MOUNTED; Aluminum, Over Under System, 1296 SqIn, 332 SqIn CAC, Includes 385 SqIn Auxiliary Radiator
12UGN	THROTTLE, HAND CONTROL Electronic
12UNN	FEDERAL EMISSIONS EPA, OBD and GHG Certified for Calendar Year 2015; MaxxForce DT Engines
12VBC	AIR CLEANER Single Element
12VVN	CRUISE CONTROL Electronic
12VWH	GOVERNOR Electronic Road Speed Type; for Electronic Engines and Bus Models; With 55 MPH Default
12WAE	HOSE CLAMPS, RADIATOR HOSES Constant Torque, for Engine Hoses 1.0" I.D. and Over
12WZD	EMISSION COMPLIANCE Engine Shutdown System Exempt Vehicles, Complies With California Clean Air Regulations
13AUG	TRANSMISSION, AUTOMATIC {Allison 3000_PTS} 5th Generation Controls; Close Ratio, 5-Speed, With Overdrive, Includes Oil Level Sensor, Less PTO Provision, Less Retarder, School Bus, With 80,000-lb GVW & GCW Max.
13WBL	TRANSMISSION SHIFT CONTROL {Allison} Push-Button Type; for Allison 3000 & 4000 Series Transmission
13WLP	TRANSMISSION OIL Synthetic; 29 thru 42 Pints
13WUM	ALLISON SPARE INPUT/OUTPUT for Pupil Transportation Series (PTS)
13WYR	SHIFT CONTROL PARAMETERS Allison 3000 or 4000 Series Transmissions, 5th Generation Controls, with EcoCal and Dynamic Shift Sensing (FuelSense Basic)
14AHR	AXLE, REAR, SINGLE {Dana Spicer 23060SH R/O} Single Reduction, Pinion Up, 23,000-lb Capacity, 200 Wheel Ends . Gear Ratio: 5.57
14TBT	SUSPENSION, REAR, AIR, SINGLE {International} Ride Optimized Suspension (IROS); 23,000-lb Capacity, 9.25" Ride Height, With Shock Absorbers
15LKH	FUEL/WATER SEPARATOR with Filter Restriction/Change Indicator, Includes Standard Equipment Water-in-Fuel Sensor
15SJX	FUEL TANK Rectangular, Steel; 105 U.S. Gal., 397 L Capacity, Mounted Between Frame Sidemembers and Ahead of Rear Axle, Includes Protective Cage
16015	PLATFORM Standard Location
16HAA	GAUGE CLUSTER English with English Electronic Speedometer and with Tachometer for Air Brake Chassis
16HJA	GAUGE PACKAGE Includes Hourmeter
27DMA	WHEELS, FRONT {Accuride} DISC; 22.5" Painted Steel, 2-Hand Hole, 10-Stud (285.75MM BC) Hub Piloted, Flanged Nut, Metric Mount, 8.25 DC Rims; With Steel Hubs
28DMA	WHEELS, REAR {Accuride} DUAL DISC; 22.5" Painted Steel, 2-Hand Hole, 10-Stud (285.75MM BC) Hub Piloted, Flanged Nut, Metric Mount, 8.25 DC Rims; With Steel Hubs
29580	WHEEL SEALS, FRONT {International} Oil-Lubricated Wheel Bearings
29597	WHEEL SEALS, REAR {Stemco Voyager} Oil Lubricated Wheel Bearings
29PBP	PAINT IDENTITY, REAR WHEELS Disc Rear Wheels; With Vendor Applied Yellow Powder Coat Paint

Vehicle Specifications
2016 INTEGRATED RE S BUS (PB305)

June 10, 2015

<u>Code</u>	<u>Description</u>
29PBR	PAINT IDENTITY, FRONT WHEELS Disc Front Wheels; With Vendor Applied Yellow Powder Coat Paint
47ACG	BODY, BUS for RE; 78" Headroom, 39'11" Body Length, 84 Passenger, 276" WB
47AHN	BODY RATING TAG for State of California
47AJC	BODY TAG, METAL Capacity to Include the Total Number of Passengers
47AKK	STEP, FRONT ENTRANCE DOOR 25 3/4" Depth; 14ga Steel
47AMS	COMPARTMENT, DRIVER STORAGE for RE
47APN	HEADLINER, BODY for RE; Perforated Full Length With Sound Insulation Full Length
47APX	FASTENERS, HEADLINER Screws
47ARH	BOWS, ROOF 14 ga., One Piece Construction
47ARP	LIGHT BARS Plastic
47ARY	SKIRT, BODY for RE; 28", 16 ga.
47AUR	TIE DOWNS, BODY Grade 8 Bolts, Every Body Section
47AVD	SKID PLATE Right Front Step Well Guard
47AXC	RUB RAILS, BODY (4) for RE; Steel, All Body Lengths Includes Snow Rail
47AZJ	SIDE SHEET, BODY, EXTERIOR for RE, 16 ga., Smooth
47BAN	END CAPS BUMPER Front
47BAR	SUPPORTS, REAR BUMPER Bolted to Frame
47BAU	BUMPER, REAR Painted; 12" High, 3/16" Thick, With 7" Hole for Exhaust
47BAV	TOW HOOKS, FRONT (2) 1 Left, 1 Right
47BAW	TOW HOOK, LEFT REAR (01)
47BAX	TOW HOOK, RIGHT REAR (01)
47BBH	LINING, SIDE INTERIOR, LOWER Embossed Steel, Clear Coated
47BBN	HANDLE, ASSIST, OVER WINDSHLD Body Color
47BBW	LATCH, ACCESS DOOR Front, Lever Type
47BBZ	SEALER Extra; Sidewall to Floor, In Wheel Pocket Area, and Rear Wall to Floor
47DCJ	DOOR, SIDE EMERGENCY, LEFT 25"; Installed Forward of Rear Wheel Pocket
47DCP	DOOR, SIDE EMERGENCY, RIGHT 25"; Installed Forward of Rear Wheel Pocket
47DCZ	HOLD BACK, LEFT SIDE Side Emergency Door, With Plastic Cover
47DDE	HANDLE, ASSIST, ENTRANCE DOOR Outside Entrance
47DDG	HOLD BACK, RIGHT SIDE Side Emergency Door
47DDX	LATCH, EMERGENCY DOOR, LEFT One Point Slide Bar, Cam Operated, with One Inch Stroke
47DDY	LATCH, EMERGENCY DOOR, RIGHT One Point Slide Bar, Cam Operated, with One Inch Stroke
47DEC	CONTROL, ENTRANCE DOOR Electric, 2 Position Switch, Includes Vandal Locks, Mounted Left of Driver
47DEM	LOCK, VANDAL, EMERG DOOR, LT with Ignition Starter Interlock
47DEN	LOCK, VANDAL, EMERG DOOR, RT with Ignition Starter Interlock

Vehicle Specifications
2016 INTEGRATED RE S BUS (PB305)

June 10, 2015

<u>Code</u>	<u>Description</u>
47DNB	DOOR, ENTRANCE, FRONT Electric, Outward Opening, with Split Pane Glass
47DSC	COMPARTMENT, LUGG, PASS THRU (01) 114"
47EAP	COMPARTMENT, BATTERY Mounted Behind Right Rear Wheel Pocket, 13" x 15" x 25.5"
47EBD	LOCK, BATTERY COMPARTMENT Standard Location
47EBM	HOLD DOWN, BATTERY For (2) Standard Size Batteries
47KBW	HANDLE, EXTERIOR, REAR Emergency Kickout Window, Black
47LAU	INSULATION, ROOF AND SIDES 1.50", All Models
47MBA	UNDERCOAT, BODY Fire Resistant, Water Based, TT-C-730 Spec
47MJG	LETTERS, DOOR, LT Decals; "EMERGENCY DOOR", 2" Black Letters Inside and Outside
47MMY	LETTERS, SIGN, REAR Decal, "STOP WHEN RED LIGHTS FLASH", 6" Letters
47MNE	ARROW, SIDE DOOR, LT OUTSIDE Decal; Black, Indicating Handle Direction
47MPA	LETTERS, SCHOOL BUS FRONT/REAR Decal; "SCHOOL BUS"; With 8" Black Letters; on Front and Rear Cap
47MRT	STRIPING, K/O WINDOW, REAR Perimeter, Reflexite V82
47MTB	STRIPING, PERIMETER, LEFT Side Emergency Door; Reflective, Reflexite V82
47MTY	WIRING DIAGRAM Schematic, Electrical
47MUB	STRIPING, PERIMETER, RIGHT Side Emergency Door; 1" Reflective Reflexite
47MVA	LETTERS, HEADER Decal; "WATCH YOUR STEP", 1" Black, Above Windshield
47MVC	LETTERS, STEPWELL Decal, "WATCH YOUR STEP", 2.5" Black, Behind Door on Step Riser
47NAB	PAINT RUB RAILS 0001 Canyon Black
47NAR	LETTERS, DOOR, RT Decal; "EMERGENCY DOOR"; 2" Black Letters Inside and Outside
47NGW	SEAL, RUB RAILS Top Edge, All Rails
47NJA	PAINT COLOR, BODY EXTERIOR 4421 Yellow, SBNS
47NJN	PAINT FLASHER BACKGRD 4421 School Bus Yellow
47NKE	PAINT COLOR, ROOF 9219 Winter White, (Does Not Include Lift Door) Beginning 5" Above Drip Rail, Rounded Corners
47NKL	PAINT, RUB RAIL Flange to Flange
47NKM	PAINT COLOR, BODY INTERIOR 9384 Spring White
47NKY	LETTERS, FUEL I.D. Decal; "DIESEL FUEL", 1" Black, on Fuel Filler Door
47NLC	HANDLE, EXTERIOR, LEFT Emergency Door; Black
47NLK	HANDLE, EXTERIOR, RIGHT Emergency Door; Black
47NMB	OPERATING INSTR, LEFT Decal, Inside Side Emergency Door
47NMD	OPERATING INSTR, RIGHT Decal, Inside Side Emergency Door
47NMR	ARROW, SIDE DOOR, LT INSIDE Decal; Red Indicating Handle Direction
47NSW	PAINT, COLOR, DOOR 4421 NSBC Yellow, Both Sides of Entrance Door

Vehicle Specifications
2016 INTEGRATED RE S BUS (PB305)

June 10, 2015

<u>Code</u>	<u>Description</u>
47NTE	LOGO, ROOF LINE Decal; Wing and Shield, First Body Section, Above Driver Window and Entrance Door Over Driver Window and Entrance Door
47PAR	BODY CERTIFICATION TAG Mylar Label, with Actual Tire Load Rating
47SBK	SUB FLOOR, PLYWOOD For RE; B-C Exterior Grade, Less Sealed Edges, 5/8", 5 Ply, for All Body Lengths
47SLW	POSITION DOOR, RIGHT Side Emergency Door, Aft Position Within Opening
47SLZ	POSITION DOOR, LEFT Side Emergency Door, Modified FWD Door Position Within Opening, With 25" Door, Located Forward of Rear Wheel Pocket
48ACN	SEAT BELT, DRIVER, COLOR With Blaze Orange Seat Belt Webbing
48ALA	WINDOW, SIDE OFFSET, LT 18", Split Sash Type, With Modified Door Position
48ANT	WINDOW, DRIVER Laminated, Clear
48APL	WINDOW, STOPS 12" Opening, Only With 78" Headroom
48ASC	WINDOW, SASH (24) 27" Sections, 9"x 23" Opening
48BDG	POUCH, CRASH BARRIER Full Width, Sewn Into Front Side of Barrier AFT of Driver Seat
48BJL	COLOR, WINDOW FRAME, PASS (26) Passenger Window, Black Anodized
48BTZ	WINDOW, PASSENGER, TINT For RE; 28% Light, Tempered Glass, 78" Headroom, With All Body Lengths
48CWV	UPHOLSTERY, DRIVER SEAT, COLOR 2-Tone Black
48CWW	LOCK, VANDAL, REAR WINDOW Kickout Window
48CWX	WINDOW, REAR Kick-Out, With Black Interior Frame, Glass Type to Match Passenger Windows
48GHC	HEATER, DRIVER 90,000 BTU, with Defroster and Without Rear Heat Duct
48GPL	SEAT, DRIVER {National Premium} Air Suspension With Suspension Skirt, Cloth, Triple Chamber Adjustable Air Lumbar, Adjustable Cushion and Back Bolsters, 6 Position Front Cushion Adjuster, 3 Position Rear Cushion Adjuster, 6 to 23 Degree Back, Heated Recline
48GTW	SEAT,3PT,FLIP,RIGHT {IMMI Seats} (01) 39", 4 Leg, Automatic, High Back, with 3 Point Seat Belts
48GUD	SEAT,3PT,FLIP,LEFT {IMMI Seats} (01) 39", 4 Leg, Automatic, High Back, With 3 Point Seat Belts
48GWE	SEAT,3PT,DAVENPORT,RIGHT {IMMI Seats} (01) 39", High Back, with 3 Point Seat Belts
48GWW	SEAT,3PT,DAVENPORT,LEFT {IMMI Seats} (01) 39", High Back, with 3 Point Seat Belts
48HBG	SEAT,PASS,3PT,LT,39",4 LEG {IMMI Seats Flex} (01) High Back, with 3 Point Seat Belts
48HBP	SEAT,PASS,3PT,RT,39",4 LEG {IMMI Seats Flex} (01) High Back, with 3 Point Seat Belts
48NAT	FITTINGS, AIR SEAT for Driver Seat
48PAD	WINDSHIELD 4 Flat Pieces, 73% Light
48PAV	WHEEL POCKET COVER Plastic, ABS
48PAY	AISLE POSITION Center, for balanced seating
48PEW	FLOOR COVERING, COLOR Gray #766
48PKC	HOSE CLAMPS, HEATER HOSE Constant Torque for Heater System
48PKG	CONNECTION Do Not Connect Roof Hatch Switch to Buzzer
48PKN	FAN, DEFOG FAR RIGHT (01) Black, Mounted Right Above Windshield, Forward Entrance Door, 2-Speed Switch in Panel

Vehicle Specifications
2016 INTEGRATED RE S BUS (PB305)

June 10, 2015

<u>Code</u>	<u>Description</u>
48PKR	FAN, DEFOG LEFT CENTER 6.50" Diam., Black, Mounted Left of Center Post, 2-Speed Switch in Panel
48PMC	HEATER, PASS, LT MIDSHIP 1ST 50,000 BTU
48PMH	HEATER, PASS, LT REAR 50,000 BTU
48PNZ	HEATER, WATER PUMP {2 MPU 12} Self Priming, Metal Housing
48PPL	HEATER CUT OFF, VALVE Gate 3/4"
48PPS	ROOF VENT, FRONT Static
48PRA	LOCK, DRIVER COMPARTMENT, RS
48PTT	ARM REST, DRIVER, RIGHT {National}
48PUP	FLOOR COVERING, TRIM Omit
48PUV	NUTS, BELT MOUNTING Locknuts, Seat Belt angle to floor Angle
48PVB	UPHOLSTERY, DRIVER SEAT, STYLE Plain
48PWC	UPHOLSTERY, PASS SEATS, COLOR Blue, for Seats, Barriers and Head Bumpers
48PWZ	UPHOLSTERY, DRIVER SEAT, TYPE Fabric
48PXA	UPHOLSTERY, BARRIER, TYPE (1-2) Vinyl, 42 oz.
48RAE	BARRIER, CRASH, AFT ENTRY DOOR 39", 1 Leg
48RAL	BARRIER, CRASH, AFT DRIVER 39", 1 Leg
48REP	PANEL, MODESTY, AFT OF DRIVER Mounted Under Barrier
48RET	PANEL, MODESTY, AFT ENTRNCE DR Mounted Under Barrier
48RGE	HAND RAIL, ENTRANCE DOOR, FWD Stainless Steel; Curved
48RGR	HAND RAIL, ENTRANCE DOOR, AFT Stainless Steel, 4", Above Step
48RLX	CUSHION, SEAT 15" Depth
48RRA	UPHOLSTERY, SEAT, STITCHING Single
48RZJ	STEP TREADS {Koroseal} Pebble Top With White Nosing, With Non-Metal Backing
48SBG	UPHOLSTERY, PASS SEATS, TYPE Vinyl, 42 Ounce
48UCP	ROOF HATCH, FRONT {Transpec 1975-028-121-03} With Outside Release, With English Decals
48UCR	ROOF HATCH, REAR {Transpec 1975-028-121-03} With Outside Release, With English Decals
48USV	SEAT BACK, PASSENGER High Back
48UTV	SEAT RELOCATION Driver Seat Centered with Steering Wheel
48UWW	FLOOR COVERING, TYPE Koroseal, One Piece, Vinyl, All Body Lengths, Dark Gray
48YAG	SEAT,PASS,3PT,LT,39",2 LEG {BTI Seating System} (11) High Back, with 3 Point Seat Belts
48YAV	SEAT,PASS,3PT,RT,39",2 LEG {BTI Seating System} (11) High Back, with 3 Point Seat Belts
49ADC	LIGHTS, WARNING (8) Quartz Halogen Beams, 7", 2 Front, 2 Rear, Red and Amber Lights
49ADR	HEADLIGHTS Halogen, Heavy Duty 5"x 7" Rectangular, With Turn Signal
49AJY	STOP ARM, FRONT Omit
49AMB	WIRE, FEED 4 Gauge, Chassis To Body

Vehicle Specifications
2016 INTEGRATED RE S BUS (PB305)

June 10, 2015

<u>Code</u>	<u>Description</u>
49AMC	TERMINAL STRIP Chassis
49AMD	SWITCH, DRIVER PANEL, TYPE Rocker
49AMJ	ALARM, BACKING {Ecco #575} 107 db
49AMT	CIRCUIT, PROTECTION Breakers, Manual Reset in Lieu of Fuses
49AMW	HORN, AIR Beneath Drivers Platform, Behind Grille
49ANE	LIGHT, INDIC EMRG DR Green; Wired To Buzzer and Mounted on Dash for Emergency Door
49ANU	SOURCE, POWER 12 Volt DC, Mounted On Dash
49APD	LIGHTS, DOME for RE; Two Full Rows Recessed, Rectangular, All Body Lengths, Mounted in Light Bars
49APH	SWITCH, DOME LIGHTS, SPLIT Front and Rear Operated With Separate Switch, Quantity of Lights Split Equally
49ARN	LIGHT, STEP Wired to Clearance Lights
49ASN	FLASHER SYSTEM (8) Warning Lights, Weldon 7000, 8-Lamps, Non-Sequential System, Electronic Solid State Flasher
49ASP	LIGHTS, DOME, DRIVER Left and Right Sides, Separate Switch
49ATV	LIGHT, INDIC, WARNING LIGHTS Red and Amber
49AUL	SWITCH, MASTER FLASHER Lighted Master Switch for Warning Lights, Not Available With Push-Pull Switch
49AUT	SWITCH, OVERRIDE for Flasher System, Operate Red Lights and Stop Sign
49AWT	SPEAKERS AND WIRING (4) Flush Mounted in Light Bar
49AYU	RADIO, ENTERTAINMENT Panasonic, AM/FM-MPLX, CD Stereo With Public Address System, Mounted in Driver Area, Includes 4 Speakers
49BGS	LIGHTS, DIRECTIONAL, SIDE {Truck Lite} LED, Yellow, One Mounted Over Each Wheel Pocket
49BHY	LIGHTS, AUXILIARY DRIVING (2) {Peterson 2161} Two Amber Front, Wired To Switch on Panel
49BKJ	LIGHTS, MARKER, FRONT, REAR {Sound Off ECVML153Y&R} LED, Armored, (8) Four Amber Front and Four Red Rear
49BPP	LIGHTS, STOP (2) {Sound Off} and Tail with Flange; 4", LED, Red
49BRY	SWITCH, MAGNETIC, DISCONNECT Master, Ignition Operated, All Body Circuits Except Warning, Dome and Clearance/Marker Lights
49BTM	LIGHT, INDICATOR, STROBE ON Lighted Amber Indicator to Show Exterior Strobe Lights are on, Mounted Left of Driver in Panel
49BVD	SWITCH, BATTERY Shut-Off, 300A Weather Resistant, In Battery Compartment
49DAZ	LIGHT, LICENSE PLATE {Arrow Speciality 437-08-332} 12 Volt, Chrome Finish, Clear lens, Non Hand Hold Type
49EAE	LIGHTS, MARKER, SIDE {Sound Off EVCML153Y} LED, Armored Type, Intermediate, Centered; Required for Units 30 Foot or Longer
49EEK	STOP ARM, LEFT REAR {Transpec} Electric, 18" Octagon, Double Sided, 1/2" White Border, Hi Intensity Grade, Flashing RED Incandescent Lights
49EGB	MIRROR, INSIDE 10" x 30", Clear
49EGM	MIRROR, CROSS VIEW, EXTERIOR Heated, Black, Rosco
49EHS	MIRROR, REAR VIEW, EXTERIOR {Rosco} Heated, Motorized Head, Black

Vehicle Specifications
2016 INTEGRATED RE S BUS (PB305)

June 10, 2015

<u>Code</u>	<u>Description</u>
49ENM	VISOR, INTERIOR, LEFT FRONT 6" x 30", Opaque Black, For Left Windshield
49EUE	KIT, FIRST AID 24 Unit, California
49EVL	SWITCH, NOISE SUPPRESSION Actuator Legend States, "NOISE SUPP ", for Separate Solenoid, With Red Switch in Panel
49EWM	LIGHT, STROBE ECCO 6550C, low profile, double flash, 4.9" high
49EZN	LIGHTS, DIRECTIONAL, REAR (2) {Sound Off} with Flange, 4", LED, Amber
49EZV	LIGHTS, DIRECTIONAL, FRONT 4" L.E.D. Amber, On Cowl
49GCH	LOCATION, FIRST AID KIT Right Side Front Bulkhead With Screws
49GCP	PADDING COMPART ABOVE DRIVER Window; Safety Equipment, Vandal Equip Compartment, Without Dome Light
49GDS	COMPARTMENT ABOVE DRIVER Left of the Driver
49GEM	SAFETY TRIANGLES Warning Reflectors, Mounted on Front of Drivers Barrier 6" Below Top of Modesty Shield
49GHN	REFLECTORS, REAR (2) 3", Red, Adhesive Back
49GHR	REFLECTORS, SIDE, REAR (2) 3", Red, Adhesive Back
49GHV	REFLECTORS, SIDE, FRONT (2) 3", Amber; Adhesive Back, 1 Aft Drivers Window Left, 1 Aft Entrance Door Right
49GHX	REFLECTORS, SIDE, INTERMEDIATE (2) 3" Amber, 1 Each Side, Below The Third Rub Rail From the Top, Adhesive Back
49GNJ	FUEL FILLER DOOR With Locking Latch
49GRS	LIGHTS, CLUSTER {Sound Off ATCVMLDP1R & ATCVMLDP1Y} 1 Internal LED per Light; Amber Front and Red Rear
49GSZ	SIGN, DESTINATION, REAR Hinged School Bus Sign
49GTM	SIGN, DESTINATION, FRONT Hinged School Bus Sign
49GTV	WINDSHIELD WIPERS (2) Bottom Mounted; Pantograph Type; Wet Arms, 28.5"
49GTX	WINDSHIELD WASHER Kit; 3 Quart Capacity, Bottle
49GTY	SWITCH, WIPER CONTROL Single, to Control Both Wipers
49GUE	CERTIFICATE HOLDER for State of California
49GUJ	FENDERS, RUBBER, FRONT (2)
49GUK	FENDERS, RUBBER, REAR (2)
49GUM	INSPECTION PLATE Fuel Sending Unit 8" x 8" Steel
49GUX	MUD FLAPS, FRONT WHEELS (2) Rubber
49GUY	MUD FLAPS, REAR WHEELS (2) Anti-Spray and Anti-Sail; Behind Rear Wheels
49GZT	FUEL FILLER PIPE Neck Cap and Vent Hosing for Use With Right Side Fill 100 Gal. Between the Rails Fuel Tanks
49JAG	FIRE EXTINGUISHER, DRIVER AREA 5 lb 2A-40BC Minimum With Flexible Hose and Metal Nozzle, Mounted on Modesty Panel Behind Driver
49MZV	LATCH, COMPARTMENT Locking, for Overhead Storage Compartment
49UAE	STATE OF OPERATION California

Vehicle Specifications
2016 INTEGRATED RE S BUS (PB305)

June 10, 2015

<u>Code</u>	<u>Description</u>
49XHP	LIGHTS, STOP & TAIL ADDITIONAL (2) {Sound Off} Red, LED, 4" Diameter, With Flange
49XJJ	LIGHTS, BACK UP (2) {Sound Off} White, LED, 4" Diameter, With Flange
7382138108	(2) TIRE, FRONT 11R22.5 G662 FUEL MAX (GOODYEAR) 497 rev/mile, load range H, 16 ply
7382138108	(4) TIRE, REAR 11R22.5 G662 FUEL MAX (GOODYEAR) 497 rev/mile, load range H, 16 ply
804WXD	DRAIN VALVE {Humphrey} (3) Air Operated, Manual, With Controls in Drivers Compartment, For Air Tanks
OBD001	BODY PLAN, NON-SPECIAL NEEDS CREATE-309 with dual SEDs

Services Section:

40114	WARRANTY Standard for CE, RE, BE School Bus Models, Effective with Vehicles Built January 2, 2015 or Later, CTS-3304G
40KMD	SERVICES, TOWING {Navistar} Service Call to 60-Month/Unlimited Mileage to the Nearest Navistar Dealer for Navistar Warrantable Failure as Contract Defined; Includes Engine Failure if Supplier Declines Tow Coverage & ESC Supplied thru Navistar; \$550 (USA) Maximum Benefit per Incident
	Stop sign
	Letters and numbers

Add 150,000 BTU AC system.

Extend standard engine and engine electronics warranty three additional years. (Total of eight years on Bus)

Add four head Seon Camera system.